



5040 N. 15th Avenue, Suite 107 • Phoenix, AZ 85015
 Tel 602.759.1245 • Fax 602.759.8331 • www.CyrexLabs.com

ACCESSION #: 12-006709
 TEST REQUISITION #: T05121693
 ACCOUNT #:
 NPI:
 DATE COLLECTED: 6/01/2012
 DATE RECEIVED: 6/05/2012
 DATE OF REPORT: 6/13/2012
 SPECIMEN RECEIVED: SERUM

PRACTITIONER

Gair, Kirk
 1901 W Pacific Ave
 Suite 205
 West Covina, CA 91790

PATIENT

NAME: [REDACTED]
 DoB: [REDACTED]
 ID:
 GENDER: M

TEST	RESULTS				REFERENCE
ANTIBODY ARRAY 4	Normal	Equivocal*	Out of Range	Numeric Value	(ELISA Index)
Gluten-Associated Sensitivity & Cross-Reactive Foods**					
Rye, Barley, Spelt, Polish Wheat		X		1.30	0.4-1.4
Cow's Milk			X	1.64	0.1-1.3
Casein (Alpha & Beta)			X	1.77	0.1-1.2
Casomorphin		X		1.35	0.2-1.6
Milk Butyrophilin	X			0.47	0.1-1.3
Whey Protein			X	1.35	0.1-1.3
Chocolate (Milk)		X		1.37	0.1-1.4
Oats			X	1.76	0.2-1.0
Yeast	X			0.89	0.2-1.2
Coffee			X	1.65	0.2-1.2
Sesame		X		1.06	0.1-1.3
Buckwheat	X			<0.4	0.4-1.5
Sorghum			X	1.38	0.3-1.2
Millet			X	3.13	0.3-1.5
Hemp		X		1.24	0.3-1.5
Amaranth	X			0.91	0.2-1.3
Quinoa		X		1.46	0.5-1.5
Tapioca	X			0.73	0.1-1.1
Teff		X		0.96	0.2-1.1
Soy	X			0.55	0.5-1.5
Egg			X	1.87	0.2-1.7
Corn		X		1.13	0.3-1.4
Rice	X			1.22	0.4-1.6
Potato		X		1.37	0.6-1.4

PLEASE NOTE THAT THE REFERENCE RANGES HAVE BEEN UPDATED WITH EFFECT FROM 03/07/2012.

** All analytes are tested for IgG and IgA combined.

*Reference ranges are calculated based on the mean ± 2 standard deviations (SD). Results >1 SD, and <2 SDs above the mean are considered to be equivocal. An equivocal result represents the range between negative and suspicious low positive results. Results >2 SDs are considered out of range, and positive.

Dhiren Joshipura, M.D., Medical Director

Cyrex Laboratories is certified under the Clinical Laboratory Improvement Amendments of 1988 ("CLIA") as qualified to perform high-complexity clinical testing. Test result data on its own does not constitute a diagnosis. Only a physician or qualified healthcare professional should interpret the significance of a clinical lab test or make a diagnosis. This test was developed and its performance characteristics determined by Cyrex Laboratories, LLC. The names and titles of tests and arrays are for reference purposes only.